



SPECTRUM SERIES  
Electric Fireplace Built-in Flush Mount












# SPECTRUM SERIES

## Electric Fireplace Built-in Flush Mount

Modern Flames Spectrum Series Built-In Flush Mount Electric Fireplace brings the flame versatility and size options to the conventional electric fireplace. Our award winning flame appearance now features 12 different flame color combinations to choose from. A gray back screen allows the colors to shimmer and shine, dancing off multicolor glacier diamond glass, creating a crisp, clean flame and contemporary look. The Spectrum Series is available in 3 different box size models: 36" traditional, 50" and 74" linear. A thermostat, touch control and remote completes this innovative series.



### STANDARD FEATURES

-  Unsurpassed Realistic Flame Pattern
-  12 Color Flame Combinations
-  Glacier Glass Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  120 Volt Plug/Hard Wire Ready
-  Do it Yourself Installation Instructions

# SPECTRUM SERIES

## 12 Flame Color Combinations at the Push of a Button

The 6 button control panel is located at the top right of fireplace including the digital readout thermostat. Button #1 turns the fireplace on or off. Button #2 turns on the heater. Button #3 turns the heater temperature up and #4 turns the heat down. Button #5 cycles through the 12 different flame color combinations, and button #6 adjusts the flame intensity.




Blue



Cyan




Emerald



Gold



Green



Ice Blue




Magenta



Multi



Orange



Purple



Red



White

# SPECTRUM SERIES

## Technical Specs



**REMOTE CONTROL**  
Separate controls  
for on/off  
variable heat  
and variable flame.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
SC36-B	AC 120V / 60Hz	1,530	5,000	35 1/2" L x 24 1/4" H x 8" D	Fully Recessed
SL50-B	AC 120V / 60Hz	1,530	5,000	48 1/2" L x 18 1/4" H x 8" D	Fully Recessed
SL74-B	AC 120V / 60Hz	1,530	5,000	72 1/2" L x 18 1/4" H x 8" D	Fully Recessed

MODEL #	A	B	C	D	E	F	G
SC36-B	19"	33 1/4"	7 5/8"	34 7/8"	23 3/4"	36 3/4"	24 3/4"
SL50-B	13 1/4"	46 1/4"	7 5/8"	47 7/8"	18"	49 3/4"	19"
SL74-B	13 1/4"	70 1/2"	7 5/8"	72 1/8"	18"	74"	19"

SL50-B TECHNICAL DRAWING SHOWN

